



Overmolding Solutions

Reliable connectivity solutions and more.


Whee Samuel Meson

TTAF, established in Istanbul in 2003, is a specialized organization that has gained trust and admiration both in Turkey and worldwide with its custom product designs and solutions tailored to various needs, particularly in advanced technology connection elements and cable bundling.

With over a quarter-century of experience and expertise, TTAF aims to provide its customers with the highest quality products through its state-of-the-art machinery and superior service approach. It offers a wide range of complete system solutions and exports to 70 countries.

Operating under the principle of "Customer Satisfaction First," TTAF continues its production activities at its facilities in Istanbul.

We Design, Develop & Manufacture.







Low Pressure Molding

Low Pressure Molding (Low Pressure) is different from traditional injection molding. As the name suggests, the applied parts are molded at lower pressures, allowing for the precise molding and protection of special electronic devices without damage. In the low-pressure molding process, it involves placing bare, unprotected PCBs and cable assemblies carefully prepared into the mold and then filling them with low-pressure molding material.

Why Low-Pressure Molding?

It does not damage sensitive products.

It has low viscosity thermoplastic.

It is sealed against dirt, dust, and moisture.

Horizontal Injection

Horizontal Injection is a method of obtaining products by injecting melted plastic materials into horizontally connected molds in machines with low and high injection tonnages, followed by cooling and solidifying. The Horizontal Injection system offers suitability for automation, eliminates the need for post-processing, provides the possibility of high-speed and high-volume production, and allows for the production of parts in different surface finishes, colors, and shapes. It also enables the production of high-volume products in the same mold.

Vertical Injection

It is a superior solution for providing insulation for cable assemblies and connectors against challenging end-use environments. Whether it is for a medical application requiring sterilization or for a connector requiring effective voltage reduction, it is used.



CONTENTS

	DATA CABLES	10
	USB-A	11
	USB-B	12
\Diamond	RJ-45	13-14
	D-SUB	14-15
	MINI FIT	16
2	CHARGING AND DATA SYNCHRONIZATION CABLES	17
	MINI USB	18
	MICRO USB	18
\Diamond	TYPE-C	19
	LIGHTNING	20
3	AUDIO AND VIDEO CABLES	21
	HDMI - MINI HDMI	22
	SCART	23
	TV ANTENNA	23
	F CONNECTOR	23
	BNC	23
	RCA	24
	STEREO	24-25
	TOSLINK	25

4	WATERPROOF CABLES	26
	SUPERSEAL	27
\Diamond	WATERPROOF HDMI - VGA - MIC	28
	MINI WATERPROOF - MINI DIN	29
	FUSE SLOT - T ADAPTER	30
	AISG - MILITARY - WATERPROOF CONNECTOR	31
5	POWER CABLES	33
	EU PLUG - US PLUG	34
	C7 - C13 - C14 - C19 - C20 PLUG	34-35
6	SIGNAL CABLES	36
	M SERIES	37-39
	MAGNETIC CONNECTORS	39
	OTHER PRODUCTS	40
	PCB - FERITTE - RLF	41-42
	GROMMET- CABLE GLAND	42
	T SPLITTER	42
	VOLANS HOLDER	43

DATA CABLES





















DATA CABLES



USB-A/2.0 FEMALE


















PANEL TYPE





















D-25 RJ45 SHORT MOLD



D-26 RJ45 90° UP DIRECTION



D-27 RJ45 90° DOWN DIRECTION




D-34 D-SUB / 15 PIN MALE



D-35 D-SUB / 15 PIN FEMALE



D-36 D-SUB / 25 PIN MALE



D-28 RJ45 90° METAL DOWN DIRECTION



D-29 RJ45 90° METAL UP DIRECTION



D-30 VGA / 15 PIN



D-37 D-SUB / 25 PIN FEMALE



D-38 D-SUB / 25 PIN MALE



D-39 D-SUB / 25 PIN FEMALE



D-31 VGA / 15 PIN



D-32 D-SUB / 9 PIN MALE



D-33 D-SUB / 9 PIN FEMALE

ttafconsumer.com today, tomorrow and forever...

CHARGING AND DATA CABLES



D-40 MINI-FIT 2 PIN MALE



D-41 MINI-FIT 2 PIN FEMALE



D-42 MINI-FIT 8 PIN MALE



D-43 MINI-FIT 8 PIN FEMALE



D-44 MINI-FIT 24 PIN MALE



D-45 MINI- FIT 24 PIN FEMALE



CHARGING AND DATA CABLES



CHARGING AND DATA CABLES



























CHARGING AND DATA CABLES

AUDIO AND VIDEO CABLES



T-CHR-07-01 LIGHTNING METAL



T-CHR-06-02 LIGHTNING




T-CHR-07-03 LIGHTNING



T-CHR-07-04 LIGHTNING METAL





AUDIO AND VIDEO CABLES

AUDIO AND VIDEO CABLES






































AUDIO AND VIDEO CABLES







































WATERPROOF CABLES

WATERPROOF CABLES





WP-01 SUPERSEAL 2 PIN MALE



WP-02 SUPERSEAL 2 PIN FEMALE



WP-03 SUPERSEAL 3 PIN MALE



WP-04 SUPERSEAL 3 PIN FEMALE



WP-05 SUPERSEAL 3 PIN°90 FEMALE



WP-06 SUPERSEAL 4 PIN MALE



WP-07 SUPERSEAL 4 PIN FEMALE



WP-08 SUPERSEAL 5 PIN FEMALE



WATERPROOF **CABLES**



WATERPROOF **CABLES**



WP-10 WATERPROOF HDMI OD: Ø33,95mm



WP-11 WATERPROOF HDMI OD: Ø31,21mm



WP-12 WATERPROOF VGA



WP-19 2 PIN MINI CIRCULAR FEMALE/MALE OD: Ø8,20mm



WP-20 **3-9 PIN MIC** CONNECTOR FEMALE/MALE OD: Ø8,20mm



WP-21 3-9 PIN MIC CONNECTOR FEMALE/MALE OD: Ø13,00mm



WP-13 2 PIN MINI CIRCULAR FEMALE/MALE OD: Ø10,50mm



WP-14 **3 PIN MINI CIRCULAR** FEMALE/MALE OD: Ø10,50mm



WP-15 **4 PIN MINI CIRCULAR** FEMALE/MALE OD: Ø10,50mm



WP-22 2-9 PIN MIC **CONNECTOR °90** OD: Ø13,00mm



WP-23 2-7 PIN MINI MIC CONNECTOR FEMALE/MALE OD: Ø13,00mm





WP-16 2 PIN MINI CIRCULAR FEMALE/MALE OD: Ø15,00mm



WP-17 3 PIN MINI CIRCULAR FEMALE/MALE OD: Ø15,00mm



WP-18 4 PIN MINI CIRCULAR FEMALE/MALE OD: Ø15,00mm




WP-25 AISG CONNECTOR FEMALE/MALE OD: Ø18,50mm



4 PIN MICRO FIT

WATERPROOF CABLES



WATERPROOF CABLES



WP-27 WATERPROOF RJ45 OD: Ø38,15mm



WP-28 WATERPROOF RJ45 OD: Ø42,17mm





WP-36 SUPERSEAL 3 PIN Y ADAPTER



WP-37 ON/OFF SWITCH ADAPTER









WP-31 MAXI BLADE FUSE TYPE PIN DISTANCE: 13.5 mm



WP-32 MINI BLADE FUSE TYPE PIN DISTANCE: 4 mm



WP-39 MILITARY CONNECTOR OD: Ø14,70mm



WP-40 3 PIN SENSOR CONNECTOR







ttafconsumer.com today, tomorrow and forever...

WATERPROOF CABLES

POWER CABLES



WP-40 WATERPROOF CONNECTOR 2 PIN MALE



WP-41 WATERPROOF CONNECTOR 4 PIN MALE



WP-42 WATERPROOF CONNECTOR 6 PIN MALE



WP-43 WATERPROOF CONNECTOR 2 PIN FEMALE



WP-44 WATERPROOF CONNECTOR 4 PIN FEMALE



WP-45 WATERPROOF CONNECTOR 6 PIN FEMALE



WP-46 WATERPROOF CONNECTOR 8 PIN MALE



WP-47 WATERPROOF CONNECTOR 8 PIN FEMALE



POWER CABLES



P-01 CEE 7/16 EU. PLUG



P-02 SCHUKO CEE7/17 EU. PLUG



P-03 US. PLUG



P-07 C19 FEMALE



P-08 C20 MALE



OD: Ø33,00mm









ttafconsumer.com today, tomorrow and forever...

SIGNAL CABLES

SIGNAL CABLES





S-01 M5 - 4 PIN MALE



S-02 M5 - 4 PIN FEMALE





S-04 M5 - 4 PIN 90° FEMALE



S-05 M6 - 2,3,4,5,6 PIN MALE



S-06 M6 - 2,3,4,5,6 PIN FEMALE



S-07 M8 - 2,3,4,5,6 PIN MALE



S-08 M8 - 2,3,4,5,6 PIN FEMALE



SIGNAL CABLES

SIGNAL CABLES



S-10 M8 - 2,3,4 PIN MALE



S-11 M8 - 2,3,4 PIN FEMALE



S-12 M8 - 2,3,4 PIN 90° MALE



S-19 M12 - 2-8 PIN 90° FEMALE/MALE



S-20 M12 CAT CABLE 4-8 PIN 90°





S-13 M8 - 2,3,4 PIN 90° FEMALE



S-14 M9 - 6 PIN FEMALE - MALE 2 POWER + 4 SIGNAL



S-15 M10 - 6 PIN FEMALE - MALE



S-22 M12 CAT CABLE 4-8 PIN



S-23 M15 MALE 19 PIN CONNECTOR 90°



S-24 9 PIN DIN FEMALE - MALE CONNECTOR



S-16 M10 - 9 PIN FEMALE - MALE 3 POWER + 6 SIGNAL



S-17 M12 - 2-12 PIN FEMALE



S-18 M12 - 2-12 PIN MALE



S-25 2 PIN MAGNETIC CONNECTOR



S-26 4 PIN MAGNETIC CONNECTOR



S-27 5 PIN MAGNETIC CONNECTOR

OTHER PRODUCTS

OTHER PRODUCTS





















OTHER PRODUCTS

OTHER PRODUCTS



CABLE SPLITTER

OD:3,8 mm





















MACHINE LINE

MACHINE LINE



INJECTION MACHINE





HORIZONTAL INJECTION MACHINE







CNC SLIDING VENDING MACHINE



CNC



LATHE



SUBDUCTION EROSION







OVERMOLDING SOLUTIONS 2024-v2



